AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

- 1.(original) Pharmaceutical, cosmetic, dietetic or nutraceutical compositions comprising:
 - visnadin or esculoside;
- at least one compound selected from icarin or derivatives thereof or extracts containing it, *Gingko biloba* dimeric flavones either in the free form or complexed with phospholipids, amentoflavone;
- at least one compound selected from escin, escin betasitosterol complexed with phospholipids, sericoside,
 sericoside complexed with phospholipids or *Centella asiatica*extract in the free form or complexed with phospholipids.
- 2. (original) Compositions as claimed in claim 1, having the following concentration ranges by weight:
 - Visnadin or esculoside : 0.05-2%;
 - -amentoflavone or *Gingko biloba* dimeric flavones in the free form or complexed with phospholipids: 0.1-1%;
 - icarin or derivatives thereof or extracts containing
 it: 0.1-1%;

- Escin, escin beta-sitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids or *Centella asiatica* extract in the free form or complexed with phospholipids: 0.5%-2%.
- 3. (currently amended) Compositions as claimed in claim 1 [[or 2]], in which icarin derivatives comprise 7-hydroxyethyl-icarin, 7-ethylamino-icarin, 7-aminoethyl-icarin, 7-hydroxyethyl-3-0-rhamnosyl-icarin, 7-aminoethyl-3-rhamnosyl-icarin, 8-dihydro-icarin and its glucosides in 7 and 3, and 7-hydroxyethyl-7-desglucoicarin.
- 4. (currently amended) Compositions as claimed in <u>claim 1</u> any one of claims 1-3, in the form of creams, gel, lotions, milk.
- 5. (original) A composition as claimed in claim 1, containing Visnadin.
- 6.(original) A composition as claimed in claim 1, containing Visnadin, 7-hydroxyethyl-7-desgluco-iarin, amentoflavone and escin.
- 7. (original) A composition as claimed in claim 1, containing esculoside, icarin, amentoflavone, escin.
- 8. (original) A composition as claimed in claim 1 containing Visnadin, 7-hydroxyethyl-7-desgluco-icarin, *Gingko biloba* dimers in the free form or complexed with phospholipids.

- 9. (original) A composition as claimed in claim 1 containing Visnadin, *Gingko biloba* dimers complexed with phospholipids, escin beta-sitosterol complexed with phospholipids.
- 10.(original) A composition as claimed in claim 1 containing esculoside, *Gingko biloba* dimers complexed with phospholipids, escin beta-sitosterol complexed with phospholipids.
- 11. (currently amended) Method for the treatment of The use of a combination of:

panniculopathy and of the problems connected with venous insufficiency of the lower limbs, which comprises administering to a subject in need thereof, an effective amount of the composition of claim 1.

- visnadin or esculoside;

- at least one compound selected from icarin or derivatives thereof or extracts containing it, Gingko biloba dimeric flavones either in the free form or complexed with phospholipids; amentoflavone; - at least one compound selected from escin, escin beta-sitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids or Centella asiatica extract in the free form or complexed with phospholipids.

For the preparation of a composition for the treatment of panniculopathy and of the problems connected with venous insufficiency of the lower limbs.

- 12. (new) Method for the preparation of a composition for the treatment of panniculopathy and of the problems connected with venous insufficiency of the lower limbs, which comprises admixing:
 - visnadin or esculoside;
 - at least one compound selected from icarin or derivatives thereof or extracts containing it, Gingko biloba dimeric flavones either in the free form or complexed with phospholipids; amentoflavone;
 - at least one compound selected from escin, escin betasitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids or *Centella* asiatica extract in the free form or complexed with phospholipids.